



Suggested List Price Schedule
Commercial Ice Machines and Accessories - 60 Hz

Effective Date: February 1, 2013



Located in Denver, Colorado, Ice-O-Matic is a leading global manufacturer of a wide range of commercial ice-making products including cube ice makers, Pearl Ice makers, flake ice makers, storage bins, dispensers and water filters. Since 1952, we have been developing new technologies and programs, such as the introduction of AglON® Antimicrobial Compound in our ICE Series cube ice makers and our extended warranty water filter program, which have resulted in the creation of products that are more efficient for business and safer for the environment.

ICE WITH A CLEAR CONSCIENCE



AMERICAN FORESTS

Plant-a-Tree Program

As part of our commitment to the global environment, Ice-O-Matic is devoted to sustainability in every aspect of our business. To offset the carbon footprint of our factory in Denver, we not only recycle materials in our packaging and manufacturing but also recycle our industrial and office waste products. More important, we partner with AMERICAN FORESTS and plant a tree for every ice machine we sell, thereby supporting reforestation of key regions throughout the world. Our goal is to plant 150,000 trees through our Global Sustainability program. Trees reduce topsoil erosion, prevent harmful land pollutants from getting into our waterways and replace air pollutants with fresh, clean oxygen.



ENERGY STAR®

Ice-O-Matic partners with ENERGY STAR to ensure you receive the most efficient ice machine for your investment dollar. Ice-O-Matic is committed to continually improving the energy efficiency of our ice machines. We are uncompromising in our pursuit of both energy efficiency and productivity and are continually looking for ways to improve both, thereby delivering the best value in energy efficient ice machines.



Pure Ice Program

1. 7-year Warranty—Utilize Ice-O-Matic water filters and change them every 6 months, and the evaporator warranty is extended to 7 years—the only 7-year warranty in the industry.
2. Water Filter/Cleaning Reminders—Receive free reminders for filter changes every six months, helping to ensure the warranty stays valid and your machine stays clean.
3. AglON® Antimicrobial Compound—A-naturally-occurring antimicrobial compound is used in materials for greater food safety. AglON—Nature's antimicrobial.



Manufactured In America

Ice-O-Matic has been committed to American manufacturing since the company's founding more than 60 years ago. We take pride in our commitment to domestic manufacturing jobs by making nearly all of our machines and bins in Denver, Colorado. Ice-O-Matic ICE Series cubers (except ICEU070), Pearl Ice machines (except GEMD270), flake ice machines and bins are all made in the U.S.A.



SIZING YOUR ICE-O-MATIC ICE MAKER

- Does the existing ice maker meet peak usage during the hottest time of the year?
- What are the various locations or stations in the establishment that will need ice? Will they be serviced from one or multiple ice makers?
- Planning for future growth? If not, consider building in 20 percent additional capacity on new installations.

FOODSERVICE	APPROXIMATE ICE USAGE PER DAY
Restaurant	1.5 lbs (0.7 kg) per person
Cocktail	3 lbs (1.4 kg) per person per seat
Salad Bar	40 lbs per cubic foot (641 kg per cubic meter)
Quick Service	5 oz. per 7- to 10-oz. drink / 8 oz. per 12- to 16-oz. drink / 12 oz. per 18- to 24-oz. drink 0.14 kg per 207-296 ml drink / 0.23 kg per 355-473 ml drink / 0.34 kg per 532-710 ml drink
LODGING	APPROXIMATE ICE USAGE PER DAY
Guest Ice	5 lbs (2.3 kg) per room
Restaurant	1.5 lbs (0.7 kg) per person
Cocktail	3 lbs (1.4 kg) per person per seat
Catering	1 lb (0.45 kg) per person
HEALTHCARE	APPROXIMATE ICE USAGE PER DAY
Patient Ice	10 lbs (4.5 kg) per bed
Cafeteria	1 lb (0.45 kg) per person
CONVENIENCE STORE	APPROXIMATE ICE USAGE PER DAY
Beverage	6 oz. per 12-oz. drink / 10 oz. per 20-oz. drink / 16 oz. per 32-oz. drink 0.17 kg per 355 ml drink / 0.28 kg per 592 ml drink / 0.45 kg per 946 ml drink
Cold Plate	50% more ice usage per day
Package Ice	Weight per bag x number of bags sold per day

NOTE: The chart above outlines the approximate required ice amount per day, depending on application usage. For a detailed calculation, based on specific needs, use the interactive Machine Size Calculator at www.iceomatic.com.

ICE-O-MATIC INSTALLATION CONSIDERATIONS

Allow Enough Space for the Following Elements

- The ice maker, bin and water filter
- Airflow

NOTE: If the ice maker is tight on space, consider a top-air discharge unit.

Utilities

- What are the voltage and amperage characteristics of the electrical outlet that will be used for this ice maker?
- Is there a floor drain within 6 feet (1.8 meters)?
- Is there a water source with water shutoff?
- Are the utilities within 6 feet (1.8 meters) of the ice-maker location?

Remote Installation

- Is there an outdoor condenser location above the ice maker?
- Is there easy roof access and penetration?
- Maximum precharged tubing line run considerations?

NOTE: Ice-O-Matic includes free sea-salt corrosion protectant on all cube ice remote condensers.



ICE MAKER WARRANTY

Every Ice-O-Matic Ice Maker is backed by a warranty that provides both parts and labor coverage. To register products or check your warranty status, visit the "Warranty and Water Filter Registration" page at iceomatic.com.

Cube Ice Makers - ICE Series

- Three years Parts and Labor.
- Five years Parts coverage on the evaporator and the compressor.
- Seven years Parts and Labor on the evaporator when you enroll in the Ice-O-Matic IFQ Series water filter program with your cube ice maker and replace the filter every six months (available in the U.S.A. and Canada only).

Flake Ice Makers - EF and MFI Series

- EF Undercounter - Two years Parts and Labor.
- MFI Modular - Three years Parts and Labor.
- EF/MFI - Five years Parts coverage on the compressor.

Pearl Ice® Makers - GEM Series

- Modular - Three years Parts and Labor.
- Countertop Dispenser - Two years Parts and Labor.
- Modular/Dispenser - Five years Parts coverage on the compressor.
- GEMU090 Undercounter - Two years Parts and Labor.

Dispensers - CD and IOD Series

- IOD Countertop Dispensers - Two years Parts warranty and One year Labor warranty.
- CD Hotel Dispensers - Three years Parts and Labor warranty.

Storage Bins

- Two years Parts and Labor warranty.

Water Filter Manifold Systems

- One year Parts and Labor warranty (excluding cartridges).

WATER FILTRATION SYSTEM EXTENDED 7-YEAR WARRANTY PROGRAM

- Buy a new Ice-O-Matic IFQ Series Water Filtration System with a new ICE Series™ Cube Ice Maker, replace the filter cartridge every six months and Ice-O-Matic will extend the limited cuber evaporator warranty to seven years parts and labor.
- New ice maker and filter must be installed at the same time.
- Must register both the ice maker and water filter online at www.iceomatic.com within 5 days of installation. Water filter cartridge model number and serial number must be included with registration information.
- Water filter changes must be recorded at www.iceomatic.com every six months or less.
- Program is available with all Ice-O-Matic filter systems.
- Replacement cartridge must be an Ice-O-Matic replacement cartridge IOMQ (See sizing chart for cartridge requirements).
- Available in the U.S.A. and Canada only.

TERMS AND CONDITIONS

- Suggested list prices are F.O.B. Denver, Colorado.
- This price list is effective February 1, 2013, and supersedes all previous price schedules.
- Specifications and prices are subject to change without notice.
- AHRI certification is based on 90°F (32°C) air and 70°F (21°C) water.
- All height dimensions of bins and ice makers with built-in storage include the height of the legs or caster where applicable.
- Domestic purchase of any Ice-O-Matic equipment shipping outside the United States will include a 6% upcharge.
- For a full listing of Terms and Conditions, visit the "Compliance and Supply Chain" link at www.iceomatic.com.





Below is a guide to help you make sense of our model numbers. Flip to this page when you need help decoding our ice machines' model numbers on pages 6 through 15.

Unit Electrical Characteristics

0 - 115/60/1 5 - 220-240/50/1 6 - 208-230/60/1 7 - 208-230/60/3

Cube Ice Makers

ICEU • 070 • A

- Condenser Type: A = Air, W = Water, R = Remote, T = Air/Top Air Discharge
- Unit Electrical Characteristics: 0, 6, 7
- Basic Family Size (pounds/24 hours): 025, 040, 050, 060, etc.
- Model ICE = Modular Cuber Model Series, ICEU = Undercounter Cuber

Pearl Ice® Makers

GEM • 095 • 6 • A

- A = Air Cooled, W = Water Cooled, R = Remote Condenser
- Unit Electrical Characteristics: 0 or 6
- Basic Family Size (pounds/24 hours): Approximately 950 lbs
- Modular Pearl Ice

Flake Ice Makers

EF • 80 O A • 38

- Cabinet Size: 32 or 38
- Condenser Type: A = Air, W = Water, R = Remote
- Unit Electrical Characteristics: 0 or 6
- Basic Family Size: 25, 45, 80, etc.
- Model: EF = Self-Contained Flake Ice Maker, MFI = Modular Flake Ice Maker

Remote Condensers

VRC

GRC • 26 6 • 1

- Indicates Single-Circuit Condenser
- Unit Electrical Characteristics: 0 or 6
- Size: Condenser Family Size
- Model: Remote Condenser

Bins

B • 55

- Approx. Size: 55 = 550-lb capacity
- Model B = Bin

Water Filtration Systems


IFI • 4 • C

- Fitting Type: C = Compression
- Fitting Size: 4 = 1/4", 8 = 3/8"
- Filter Type: IFI = Ice-O-Matic Filter, INLINE TYPE

IFQ • 1

- Number of Cartridges: 1 = Single, 2 = Dual
- Filter Type: IFQ = Ice-O-Matic Filtration System, IFQ Series



Model Dimensions (W)idth x (D)epth x (H)eight inches (mm)	Model Number	Ice Production lbs (kg)/24 hr @ 70°F (21°C) Air 50°F (10°C) Water	AHRI Production lbs (kg)/24 hr @ 90°F (32°C) Air 70°F (21°C) Water	AHRI Bin Storage lbs (kg)	Condensing Unit	Voltage Characteristics	Approx. Shipping Weight lbs (kg)	List Price (\$)
	ICEU070A*	84 (38)	66 (30)	24 (11)	Air	115/60/1	88 (40)	\$3,795



* Unit includes cordsets



ENERGY STAR®-qualified machine. Please see our website www.iceomatic.com for the latest list of ENERGY STAR-qualified machines.



GOURMET DIMENSIONS	
W x D x H (in.)	1 x 1 1/4 x 1 1/4
W x D x H (mm)	25 x 29 x 32

Model Dimensions (W)idth x (D)epth x (H)eight inches (mm)	Model Number	Ice Production lbs (kg)/24 hr @ 70°F (21°C) Air 50°F (10°C) Water	AHRI Production lbs (kg)/24 hr @ 90°F (32°C) Air 70°F (21°C) Water	AHRI Bin Storage lbs (kg)	Condensing Unit	Voltage Characteristics	Approx. Shipping Weight lbs (kg)	List Price (\$)
	ICEU150A*	185 (54)	130 (59)	74 (34)	Air	115/60/1	160 (73)	\$3,955
	ICEU150W*	185 (54)	140 (64)	74 (34)	Water	115/60/1	160 (73)	\$4,005
	ICEU220A*	238 (108)	175 (79)	74 (34)	Air	115/60/1	160 (73)	\$4,445
	ICEU220W*	251 (114)	193 (88)	74 (34)	Water	115/60/1	160 (73)	\$4,495
	ICEU226A	241 (109)	168 (76)	74 (34)	Air	208-230/60/1	160 (73)	\$4,725
	ICEU226W	232 (105)	192 (87)	74 (34)	Water	208-230/60/1	160 (73)	\$4,775
	ICEU300A*	309 (140)	228 (103)	112 (51)	Air	115/60/1	206 (93)	\$5,170
	ICEU300W*	356 (161)	296 (134)	112 (51)	Water	115/60/1	203 (92)	\$5,220

* All units include cordsets



ENERGY STAR®-qualified machine.
Please see our website www.iceomatic.com
for the latest list of ENERGY STAR-qualified machines.




FULL CUBE DIMENSIONS	
W x D x H (in.)	7/8 x 7/8 x 7/8
W x D x H (mm)	22 x 22 x 22
HALF CUBE DIMENSIONS	
W x D x H (in.)	3/8 x 7/8 x 7/8
W x D x H (mm)	10 x 22 x 22

NOTE: Please specify Half (H)
or Full (F) Cube when ordering.



ICE SERIES™ Cube Ice Makers - Modular

Model Dimensions (W)idth x (D)epth x (H)eight inches (mm)	Model Number	Ice Production lbs (kg)/24 hr @ 70°F (21°C) Air 50°F (10°C) Water	AHRI Production lbs (kg)/24 hr @ 90°F (32°C) Air 70°F (21°C) Water	Condensing Unit	Voltage Characteristics	Approx. Shipping Weight lbs (kg)	List Price (\$)
	ICE0320A	334 (152)	249 (113)	Air	115/60/1	150 (68)	\$4,540
	ICE0320W	349 (158)	308 (140)	Water	115/60/1	160 (73)	\$4,590
	ICE0520A	520 (236)	370 (168)	Air	115/60/1	165 (75)	\$4,805
	ICE0520W	527 (239)	442 (200)	Water	115/60/1	175 (79)	\$4,855
 <p>*Available with top-air discharge</p>	ICE0250A	336 (152)	253 (115)	Air	115/60/1	150 (68)	\$4,395
	ICE0250T*	353 (160)	244 (111)	Air	115/60/1	150 (68)	\$4,395
	ICE0250W	333 (151)	275 (125)	Water	115/60/1	150 (68)	\$4,445
	ICE0400A	505 (229)	368 (167)	Air	115/60/1	165 (75)	\$4,775
	ICE0400T*	499 (226)	357 (162)	Air	115/60/1	165 (75)	\$4,775
	ICE0400W	496 (225)	407 (185)	Water	115/60/1	165 (75)	\$4,825
	ICE0406A	529 (240)	358 (162)	Air	208-230/60/1	165 (75)	\$4,895
	ICE0406W	523 (237)	439 (199)	Water	208-230/60/1	165 (75)	\$4,945
	ICE0500A	565 (256)	448 (203)	Air	115/60/1	170 (77)	\$5,300
	ICE0500T*	565 (256)	448 (203)	Air	115/60/1	170 (77)	\$5,300
	ICE0500W	596 (270)	513 (233)	Water	115/60/1	170 (77)	\$5,350
	ICE0500R**	567 (257)	455 (206)	Remote	115/60/1	170 (77)	\$5,190
	ICE0606A	652 (296)	530 (240)	Air	208-230/60/1	175 (79)	\$5,905
	ICE0606T*	652 (296)	530 (240)	Air	208-230/60/1	175 (79)	\$5,905
	ICE0606W	618 (280)	550 (249)	Water	208-230/60/1	170 (77)	\$6,006
	ICE0606R**	670 (304)	550 (249)	Remote	208-230/60/1	170 (77)	\$5,795
	ICE0806A	897 (407)	666 (302)	Air	208-230/60/1	220 (100)	\$7,685
	ICE0806W	898 (407)	784 (356)	Water	208-230/60/1	210 (95)	\$7,785
	ICE0806R**	913 (414)	768 (348)	Remote	208-230/60/1	220 (100)	\$7,575
	ICE1006A	1010 (458)	793 (360)	Air	208-230/60/1	230 (104)	\$8,650
	ICE1006W	960 (435)	856 (388)	Water	208-230/60/1	225 (102)	\$8,750
	ICE1006R**	982 (445)	843 (382)	Remote	208-230/60/1	235 (107)	\$8,540
	ICE1007A	1000 (454)	800 (363)	Air	208-230/60/3	230 (104)	\$8,815
	ICE1007W	935 (424)	836 (379)	Water	208-230/60/3	230 (104)	\$8,915
	ICE1007R**	910 (413)	781 (354)	Remote	208-230/60/3	230 (104)	\$8,705
	ICE1406A	1469 (666)	1136 (515)	Air	208-230/60/1	310 (141)	\$9,550
	ICE1406W	1386 (629)	1239 (562)	Water	208-230/60/1	280 (127)	\$9,650
	ICE1406R**	1391 (631)	1150 (522)	Remote	208-230/60/1	300 (136)	\$9,440
	ICE1407A	1458 (661)	1131 (513)	Air	208-230/60/3	310 (141)	\$9,715
	ICE1407W	1425 (646)	1270 (576)	Water	208-230/60/3	280 (127)	\$9,815
	ICE1407R**	1393 (632)	1195 (542)	Remote	208-230/60/3	300 (136)	\$9,605
	ICE1506R** (bin thermostat kit included)	1432 (650)	1216 (552)	Remote	208-230/1	300 (136)	\$10,105
	ICE1806W	1832 (831)	1628 (738)	Water	208-230/60/1	310 (141)	\$12,130
	ICE1806R**	1617 (733)	1461 (663)	Remote	208-230/60/1	335 (152)	\$11,920
	ICE1807W	1779 (807)	1603 (727)	Water	208-230/60/3	310 (141)	\$12,300
	ICE1807R**	1592 (722)	1444 (655)	Remote	208-230/60/3	335 (152)	\$12,090
	ICE2106W	1856 (842)	1650 (748)	Water	208-230/60/1	310 (141)	\$14,685
	ICE2106R**	1737 (788)	1561 (708)	Remote	208-230/60/1	340 (154)	\$14,525
	ICE2107W	1814 (823)	1650 (748)	Water	208-230/60/3	340 (154)	\$14,850
	ICE2107R**	1636 (742)	1525 (692)	Remote	208-230/60/3	340 (154)	\$14,690

* Exclusive top-air discharge feature available at no extra charge. ** Remote condensers and line sets are required for remote-cooled ice makers. See VRC Series Remote Condensers.



ENERGY STAR®-qualified machine.
Please see our website www.iceomatic.com
for the latest list of ENERGY STAR-qualified machines.




Exclusive Top Air Discharge is a no-cost feature for modular ICE Series Cube Ice Makers up to the ICE0606 (600 lb. cuber). Maximize ice production in a small space by eliminating the need for side clearance for hot air exhaust.



NOTE: Please specify Half (H)
or Full (F) Cube when ordering.

FULL CUBE DIMENSIONS		
W x D x H (in.)	7 7/8 x 7 7/8 x 7 7/8	
W x D x H (mm)	22 x 22 x 22	
HALF CUBE DIMENSIONS		
W x D x H (in.)	3 7/8 x 7 7/8 x 7 7/8	
W x D x H (mm)	10 x 22 x 22	




Model Dimensions (W)idth x (D)epth x (H)eight inches (mm)	Model Number	Ice Production lbs (kg)/24 hr @ 70°F (21°C) Air 50°F (10°C) Water	AHRI Production lbs (kg)/24 hr @ 90°F (32°C) Air 70°F (21°C) Water	Condensing Unit	Voltage Characteristics	Approx. Shipping Weight lbs (kg)	List Price (\$)
	GEMU090*	85 (39)	60 (27)	Air	115/60/1	133 (60.5)	\$4,780
	GEMD270*A	273 (124)	198 (90)	Air	115/60/1	161 (73)	\$7,930
	GEMD520A	523 (237)	409 (186)	Air	115/60/1	260 (118)	\$10,270
	GEMD540A	523 (237)	409 (186)	Air	115/60/1	280 (127)	\$11,150
	GEMD790A	720 (327)	540 (245)	Air	115/60/1	330 (150)	\$15,385

* Unit include cordsets

Pearl Ice®/Water Dispensers - Accessories (Required per the following configurations)

Accessory Model Number	Description	Size in. (mm)	Approx. Shipping Weight lbs (kg)	List Price (\$)
GEMU090				
KPU090	Pump Kit	10 x 12 x 9 (254 x 305 x 229)	7 (3.2)	\$670
1011448-59	Scale Remover	12 - 16 oz Bottles	20 (9) per case of 12	\$354
GEMD270A				
IFQ1 (1-39)	Single Filter	6 x 4 x 15 (152 x 102 x 381)	4 (1.8)	\$383
IFQ1 (40+)	Single Filter	6 x 4 x 15 (152 x 102 x 381)	4 (1.8)	\$369
GEMD520				
IFQ1 (1-39)	Single Filter	6 x 4 x 15 (152 x 102 x 381)	4 (1.8)	\$383
IFQ1 (40+)	Single Filter	6 x 4 x 15 (152 x 102 x 381)	4 (1.8)	\$369
GDS5	Machine Stand	22½ x 26 x 36 (572 x 660 x 914)	60 (27)	\$845
GEMD540				
IFQ1 (1-39)	Single Filter	6 x 4 x 15 (152 x 102 x 381)	4 (1.8)	\$383
IFQ1 (40+)	Single Filter	6 x 4 x 15 (152 x 102 x 381)	4 (1.8)	\$369
GDS5	Machine Stand	22½ x 26 x 36 (572 x 660 x 914)	60 (27)	\$845
GEMD790				
IFQ1 (1-39)	Single Filter	6 x 4 x 15 (152 x 102 x 381)	4 (1.8)	\$383
IFQ1 (40+)	Single Filter	6 x 4 x 15 (152 x 102 x 381)	4 (1.8)	\$369
GDS7	Machine Stand	29 x 35¾ x 36 (737 x 894 x 914)	100 (45)	\$1,080



Model Dimensions (W)idth x (D)epth x (H)eight inches (mm)	Model Number	Ice Production lbs (kg)/24 hr @ 70°F (21°C) Air 50°F (10°C) Water	AHRI Production lbs (kg)/24 hr @ 90°F (32°C) Air 70°F (21°C) Water	Condensing Unit	Voltage Characteristics	Approx. Shipping Weight lbs (kg)	List Price (\$)
	GEMO450A	464 (210)	354 (161)	Air	115/60/1	205 (93)	\$6,320
	GEMO450W	508 (230)	429 (195)	Water	115/60/1	220 (100)	\$6,370
	GEMO650A	740 (336)	550 (249)	Air	115/60/1	205 (93)	\$8,060
	GEMO650W	770 (349)	633 (287)	Water	115/60/1	220 (100)	\$8,110
	GEMO650R*	770 (349)	600 (272)	Remote	115/60/1	220 (100)	\$7,950
	GEMO956A	1100 (499)	775 (352)	Air	208-230/60/1	290 (132)	\$10,090
	GEMO956W	1053 (478)	840 (381)	Water	208-230/60/1	290 (132)	\$10,190
	GEMO956R*	1100 (499)	825 (374)	Remote	208-230/60/1	290 (132)	\$9,980

* See page 11 for GRC Series Remote Condenser options.

Pearl Ice® Makers - Dispenser Application Chart			
Dispenser Model	GEMO450	GEMO650	GEMO956
Ice-O-Matic IOD150	KBT15022 + KGEMDIV	KBT15022 + KGEMDIV	KBT15022 + KGEMDIV
Ice-O-Matic IOD200 or IOD250	KBT25022 + KGEMDIV + KGEBIOD	KBT25022 + KGEMDIV + KGEBIOD	KBT25022 + KGEMDIV + KGEBIOD
Cornelius ED or DF150	KBT15022 + R629O88514 (Cornelius)	KBT15022 + R629O88514 (Cornelius)	KBT15022 + R629O88514 (Cornelius)
Cornelius ED or DF200	KBT25022 + KGEM200	KBT25022 + KGEM200	KBT25022 + KGEM200
Cornelius ED or DF250	KBT25022 + KGEM250	KBT25022 + KGEM250	KBT25022 + KGEM250

Pearl Ice® Makers - Accessories & Bin Tops (Required per the following configurations)			
Model Number	Description	Approx. Shipping Weight lbs (kg)	List Price (\$)
KBT19	Bin Kit for 22" ICE and GEM Series on a 30" bin	22 (10)	\$325
KBT22	Bin Kit for (2) GEMO450, (2) GEMO650 or (2) GEMO956 on a 48" bin	33 (15)	\$490
KBT23	Bin Kit for (1) GEMO450, (1) GEMO650 or (1) GEMO956 on 48" bin	33 (15)	\$490
KBT24	Bin Kit for (1) GEMO450, (1) GEMO650 or (1) GEMO956 on a 22" bin	10 (5)	\$135
KBT15022*	Adapter and bin-level kit for 22" cubers and GEM-only ice makers on IOD150	12 (5)	\$465
KBT25030*	Adapter and bin-level kit for 30" cuber ice makers on IOD200, 250	13 (6)	\$465
KBT25022*	Adapter and bin-level kit for 22" cubers and GEM-only ice makers on IOD200, 250	28 (13)	\$465
KGEML	Ice-Level Control for a GEM on a Lancer Dispenser	1 (1)	\$90
KGEMDIV*	Field-installed GEM ice-diverter kit for all IOD (ED and DF) dispensers	1 (1)	\$115
KGEMBIOD*	GEM Ice-level kit for all IOD dispensers with GEM ice maker	2 (1)	\$145
KGEM200*	Kit, Ice Slide, Ice-Level Control and KGEMDIV for Cornelius ED or DF200	5 (3)	\$420
KGEM250*	Kit, Ice Slide, Ice-Level Control and KGEMDIV for Cornelius ED or DF250	5 (3)	\$420



PEARL ICE DIMENSIONS	
H x Dia. (in.)	1/2 x 3/8
H x Dia. (mm)	12.7 x 9.5



FLAKE Ice Makers with Built-In Storage

Model Dimensions (W)idth x (D)epth x (H)eight inches (mm)	Model Number	Ice Production lbs (kg)/24 hr @ 70°F (21°C) Air 50°F (10°C) Water	AHRI Production lbs (kg)/24 hr @ 90°F (32°C) Air 70°F (21°C) Water	Bin Storage lbs (kg)	Voltage Characteristics	Approx. Shipping Weight lbs (kg)	List Price (\$)
	EF250A32S	400 (181)	319 (145)	143 (65)	115/60/1	240 (109)	\$7,430
	EF450A32S	472 (214)	360 (163)	143 (63)	115/60/1	250 (113)	\$7,780
	EF250A38S	400 (181)	319 (145)	213 (97)	115/60/1	250 (113)	\$7,995
	EF450A38S	472 (214)	360 (163)	213 (97)	115/60/1	260 (118)	\$8,515

Note: All units are AIR cooled.

FLAKE Ice Makers - Modular

Model Dimensions (W)idth x (D)epth x (H)eight inches (mm)	Model Number	Ice Production lbs (kg)/24 hr @ 70°F (21°C) Air 50°F (10°C) Water	AHRI Production lbs (kg)/24 hr @ 90°F (32°C) Air 70°F (21°C) Water	Condensing Unit	Voltage Characteristics	Approx. Shipping Weight lbs (kg)	List Price (\$)
	MF10500A	540 (245)	401 (182)	Air	115/60/1	205 (93)	\$6,210
	MF10500W	541 (245)	460 (209)	Water	115/60/1	205 (93)	\$6,260
	MF10800A	900 (408)	665 (302)	Air	115/60/1	200 (91)	\$7,825
	MF10800W	940 (426)	740 (336)	Water	115/60/1	200 (91)	\$7,925
	MF10800R*	925 (420)	710 (322)	Remote	115/60/1	200 (91)	\$7,715
	MF11256A	1149 (521)	845 (383)	Air	208-230/60/1	220 (100)	\$9,885
	MF11256W	1137 (516)	959 (435)	Water	208-230/60/1	220 (100)	\$9,985
	MF11256R*	1054 (478)	867 (393)	Remote	208-230/60/1	220 (100)	\$9,775
	MF12406LS**	2365 (1073)	2000 (907)	Remote Low Side	208-230/60/1	255 (116)	\$15,245




* Remote condensers and line sets are required for remote-cooled ice makers. Reference the Remote Condensers table on page 11.

** Ice-O-Matic does not provide the condensing unit on this model.





Remote Condensers

Model Dimensions (W)idth x (D)epth x (H)eight inches (mm)	Model Number	Description	Voltage Characteristics	Approx. Shipping Weight lbs (kg)	List Price (\$)
For Cube Ice Makers 	VRC1001B*	Remote Condenser for ICEO500	115/60/1	122 (55)	\$1,505
	VRC1061B*	Remote Condenser for ICEO606	208-230/60/1	124 (56)	\$1,520
	VRC2061B*	Remote Condenser for ICEO806, ICE1006, ICE1007	208-230/60/1	124 (56)	\$1,525
	VRC2661B*	Remote Condenser for ICE1406, ICE1407, ICE1506	208-230/60/1	126 (57)	\$1,595
	VRC5061B*	Remote Condenser for ICE1806, ICE1807, ICE2106, ICE2107	208-230/60/1	145 (66)	\$2,245
For Pearl® & Flake Ice Makers 	GRC1001	Remote Condenser for GEMO650 or MFIO800	115/60/1	122 (55)	\$1,300
	GRC1061	Remote Condenser for GEMO956 or MFI1256	208-230/60/1	124 (56)	\$1,565

*Includes salt corrosion protection.

Precharged Tubing Kits			
Model Number	Description	Approx. Shipping Weight lbs (kg)	List Price (\$)
RT325 404	25 ft. Precharged Tubing Kit for units using R-404A refrigerant	13 (6)	\$365
RT340 404	40 ft. Precharged Tubing Kit for units using R-404A refrigerant	18 (8)	\$460
RT360 404	60 ft. Precharged Tubing Kit for units using R-404A refrigerant	26 (12)	\$555
RT375 404	75 ft. Precharged Tubing Kit for units using R-404A refrigerant	36 (16)	\$700



Storage Bins

Model Dimensions	Model Number	Application Bin Storage lbs (kg)	AHRI Bin Storage lbs (kg)	Bin Dimensions (W)idth x (D)epth x (H)eight inches (mm)	Approx. Shipping Weight lbs (kg)	List Price (\$)
	B25	242 (110)	190 (86)	30 x 31 x 28 (762 x 787 x 711)	74 (34)	\$1,340
	B40	344 (156)	270 (122)	30 x 31 x 37½ (762 x 787 x 953)	120 (54)	\$1,575
	B42	351 (160)	275 (125)	22 x 31 x 50 (559 x 787 x 1270)	128 (58)	\$1,650
	B55	510 (232)	400 (182)	30 x 31 x 50 (762 x 787 x 1270)	148 (67)	\$1,825
	B100	854 (388)	670 (304)	48 x 31 x 50 (1219 x 787 x 1270)	191 (87)	\$2,570
	B70-30*	741 (336)	581 (264)	30 x 34 x 58 (762 x 864 x 1473)	240 (109)	\$5,085
	B70-1506*	741 (336)	581 (264)	30 x 34 x 58 (762 x 864 x 1473)	240 (109)	\$5,085
	B90-30*	1023 (464)	802 (364)	30 x 34 x 78 (762 x 864 x 1676)	285 (129)	\$6,355
	B90-1506*	1023 (464)	802 (364)	30 x 34 x 78 (762 x 864 x 1676)	285 (129)	\$6,355
	B12OSP*	1142 (519)	896 (407)	48 x 34 x 54 (1219 x 864 x 1372)	304 (138)	\$5,425
	B12OSS*	1142 (519)	896 (407)	48 x 34 x 54 (1219 x 864 x 1372)	304 (138)	\$6,670
	B13OSP*	1457 (661)	1144 (404)	48 x 34 x 67 (1219 x 864 x 1702)	340 (154)	\$6,175
	B15OSP*	1447 (658)	1135 (515)	60 x 34 x 54 (1524 x 864 x 1372)	338 (153)	\$6,225
	B15OSS*	1447 (658)	1135 (515)	60 x 34 x 54 (1524 x 864 x 1372)	338 (153)	\$7,675
	B17OSP*	1807 (821)	1417 (643)	60 x 34 x 66 (1524 x 864 x 1676)	390 (177)	\$6,675
	B17OSS*	1807 (821)	1417 (643)	60 x 34 x 66 (1524 x 864 x 1676)	390 (177)	\$8,065

*Bin Top is included free of charge for each Pearl, flake or cube ice maker if ice maker accompanying the bin is ordered at the same time as the bin. Bin top ordered separately is subject to additional pricing.
 SP: Stainless Steel sides with galvanized bottom and back SS: Full Stainless Steel construction

Bin Top Adapters

Bin Tops for combining wider bins with smaller models			
Model Number	Description	Approx. Shipping Weight lbs (kg)	List Price (\$)
KBT5	Bin Kit for (1) 30" ICE Series™ Cuber on a B100	30 (14)	\$435
KBT19	Bin Kit for 22" ICE, MFI and GEM Series on a 30" Bin	22 (10)	\$325
KBT22	Bin Kit for (2) GEM or (2) MFI Series on a B100	33 (15)	\$490
KBT23	Bin Kit for (1) GEM or (1) MFI Series on a B100	33 (15)	\$490
KBT24	Bin Kit for (1) GEM or (1) MFI on a 22" Bin	10 (5)	\$135
KBT26	Bin Kit for (1) MFI2406 on a B100	8 (4)	\$250
KBT43	Bin Kit for (1) ICE1506 ICE Series™ Cuber on a B120 through B170	6 (3)	\$195
KBT44	Bin Kit for (1) 48" ICE Series™ Cuber on a B120 through B170	8 (4)	\$205



Single Ice Machine Configurations

Ice-O-Matic offers a full line of bins for most all applications. From low profile slope-front bins to high capacity space-saving uprights, we have a bin to meet any need. The following table will help you create the system you need in a safe and cost effective manner.

Bin Model	Bin Width (inches)	Capacity lbs (kg)	Style	21" GEM/MFI	MFI 24O6LS	22" Cubers	30" Cubers	ICE1506 Cuber	48" Cubers
B25	30"	242 (110)	Slope Front	KBT19	N/A	KBT19	■ ■	N/A	N/A
B40	30"	344 (156)	Slope Front	KBT19	N/A	KBT19	■ ■	N/A	N/A
B42	22"	351 (159)	Slope Front	KBT24	N/A	■ ■	N/A	N/A	N/A
B55	30"	510 (231)	Slope Front	KBT19	N/A	KBT19	■ ■	N/A	N/A
B100	48"	854 (387)	Slope Front	KBT23	KBT26	N/A	KBT5	N/A	■ ■
B70-30	30"	741 (336)	Vertical	N/R	N/A	N/A	■ ■	N/A	N/A
B70-1506	30"	741 (336)	Vertical	N/R	N/A	N/A	N/A	■ ■	N/A
B90-30	30"	1,023 (464)	Vertical	N/R	N/A	N/A	■ ■	N/A	N/A
B90-1506	30"	1,023 (464)	Vertical	N/R	N/A	N/A	N/A	■ ■	N/A
B120	48"	1,142 (518)	Upright	■ ■	■ ■	N/A	■ ■	KBT43	KBT44
B130	48"	1,457 (661)	Upright	■ ■	■ ■	N/A	■ ■	KBT43	KBT44
B150	60"	1,447 (656)	Upright	■ ■	■ ■	N/A	■ ■	KBT43	KBT44
B170	60"	1,807 (820)	Upright	■ ■	■ ■	N/A	■ ■	KBT43	KBT44

Side by Side Ice Machine Configurations

There are times when it is desirable to install 2 ice machines side by side on a bin. The reasons may range from gaining maximum output to creating redundancy. Ice-O-Matic offers an array of kits and bins with custom order tops for just such applications.

The following table will help you create the system you need in a safe and cost effective manner.

Bin Model	Bin Width (inches)	Capacity lbs (kg)	Style	2-GEM/MFI Machines	2-MFI 24O6LS	2-22" Cubers	2-30" Cubers	2-ICE1506 Cuber	2-48" Cubers
B25	30"	242 (110)	Slope Front	NA	NA	NA	NA	NA	NA
B40	30"	344 (156)	Slope Front	NA	NA	NA	NA	NA	NA
B42	22"	351 (159)	Slope Front	NA	NA	NA	NA	NA	NA
B55	30"	510 (231)	Slope Front	NA	NA	NA	NA	NA	NA
B100	48"	854 (387)	Slope Front	KBT22	NA	NA	NA	NA	NA
B70-30	30"	741 (336)	Vertical	NA	NA	NA	NA	NA	NA
B70-1506	30"	741 (336)	Vertical	NA	NA	NA	NA	NA	NA
B90-30	30"	1,023 (464)	Vertical	NA	NA	NA	NA	NA	NA
B90-1506	30"	1,023 (464)	Vertical	NA	NA	NA	NA	NA	NA
B120	48"	1,142 (518)	Upright	■ ■	■ ■	▲	NA	NA	NA
B130	48"	1,457 (661)	Upright	■ ■	■ ■	▲	NA	NA	NA
B150	60"	1,447 (656)	Upright	■ ■	■ ■	■ ■	KBT44*	KBT43*	NA
B170	60"	1,807 (820)	Upright	■ ■	■ ■	■ ■	KBT44*	KBT43*	NA

To insure safety and operation all installations must follow Ice-O-Matic guidelines including gasketing, etc. Hold down securement is recommended in all configurations

■ ■ Kit not required

N/A = Not applicable

N/R = Not recommended. May not perform to specification

Upright & Vertical bins include universal poly top for single machine configurations. KBT kits are sold separately. KBT43 & KBT44 are securement kits only. Only approved configurations will be supported from the factory and covered under warranty. Ice in vertical and upright bins can coagulate if left too long. Contact an Ice-O-Matic dealer for correct sizing. Side by side configuration must be specified when ordering upright bins

■ ■ No charge for Side by Side tops when ordered at time of purchase. Additional charges apply when ordered separately.

GEM & MFI models are not recommended on Upright bins.



* Two kits required. Must use only top air, water, or remotely cooled models to insure proper function

▲ Must use remote or water cooled model only

Ice in vertical and upright bins can coagulate if left too long. Contact an Ice-O-Matic dealer for correct sizing.



Countertop Cube/Pearl Dispensers

Model Dimensions	Model Number	Dispenser Operated by	Dimensions (W)idth x (D)epth x (H)eight inches (mm)	AHRI Bin Storage lbs (kg)	Voltage Characteristics	Approx. Shipping Weight lbs (kg)	List Price (\$)
	IOD150	Cup Activated	22 ¹ / ₄ x 30 ¹ / ₁₆ x 35 ⁵ / ₈ (565 x 779 x 905)	150 (68)	115/60/1	139 (63)	\$5,270
	IOD200	Cup Activated	30 ¹ / ₄ x 30 ¹ / ₁₆ x 35 ⁵ / ₈ (768 x 779 x 905)	200 (91)	115/60/1	193 (88)	\$6,310
	IOD250	Cup Activated	30 ¹ / ₄ x 30 ¹ / ₁₆ x 39 ⁵ / ₈ (768 x 779 x 1006)	250 (113)	115/60/1	197 (89)	\$7,580



Accessories - Ice Dispensers

Model Number	Description	Approx. Shipping Weight lbs (kg)	List Price (\$)
KBT15O22	Adapter and bin-level kit for 22" cubers and Pearl Ice makers on IOD150	12 (5)	\$465
KBT25O3O	Adapter and bin-level kit for 30" cubers on IOD200, 250	13 (6)	\$465
KBT25O22	Adapter and bin-level kit for 22" cubers and Pearl Ice makers on IOD200, 250	28 (13)	\$465
KGEMDIV	Field-installed GEM ice-diverter kit for all IOD (ED and DF) dispensers	1 (0.45)	\$115
KGEMBIOD	GEM Ice-level kit for all IOD dispensers with GEM ice maker	2 (0.9)	\$145
KWGFID	Water glass filler kit for IOD150, 200, 250 (Field installed only)	2 (0.9)	\$320

NOTE: Please specify Half (H) or Full (F) Cube when ordering.



Hotel Cube Ice Dispensers




Model Dimensions	Model Number	Dispenser Operated by	Dimensions (W)idth x (D)epth x (H)eight inches (mm)	AHRI Bin Storage lbs (kg)	Voltage Characteristics	Approx. Shipping Weight lbs (kg)	List Price (\$)
	CD40022*	Push	22 x 33 ¹ / ₂ x 53 ¹ / ₄ (559 x 851 x 1353)	120 (54)	115/60/1	230 (104)	\$4,945
	CD40030**	Push	30 x 33 ¹ / ₂ x 53 ¹ / ₄ (762 x 851 x 1353)	180 (82)	115/60/1	220 (100)	\$5,790
	CD40130**	Push / Water	30 x 33 ¹ / ₂ x 53 ¹ / ₄ (762 x 851 x 1353)	180 (82)	115/60/1	224 (102)	\$6,360

* Accepts only 22" cubers
** Accepts only 30" cubers



NOTE: Please specify Half (H) or Full (F) Cube when ordering.



Dimensions (W)idth x (D)epth x (H)eight inches (mm)	Model No.	Description	Flow Rate Max gpm (lpm)	Pressure Max. psi	Max Operating Temp °F (°C)	Micron Rating	Approx. Shipping Weight lbs (kg)	List Price (\$)
 IFQ1 6 X 4 X 15 (152 X 102 X 381)	IFQ1 (1-39)	Single Filter	1.5 (5.68)	125	100 (38)	0.5	4 (2)	\$383
	IFQ1 (40+)	Single Filter	1.5 (5.68)	125	100 (38)	0.5	4 (2)	\$369
 IFQ2 10 X 6 X 16 (254 X 152 X 406)	IFQ2	Dual Filter	3 (11.34)	125	100 (38)	0.5	8 (4)	\$899
 IFI4C, IFI8C 2.5 X 11 (57 X 279)	IFI4C (1-39)	Single Inline Cartridge 1/4" (6.35 mm) Compression	1.0 (3.79)	100	100 (38)	10	2 (1)	\$144
	IFI4C (40+)	Single Inline Cartridge 1/4" (6.35 mm) Compression	1.0 (3.79)	100	100 (38)	10	2 (1)	\$139
	IFI8C (1-39)	Single Inline Cartridge 3/8" (9.53 mm) Compression	1.0 (3.79)	100	100 (38)	10	2 (1)	\$144
	IFI8C (40+)	Single Inline Cartridge 3/8" (9.53 mm) Compression	1.0 (3.79)	100	100 (38)	10	2 (1)	\$139

IOM Replacement Cartridges

Model Number	Description	List Price (\$)
IOMQ	Single quick-twist replacement cartridge for IFQ1 or IFQ2	\$130
Filter Cartridge Features: <ul style="list-style-type: none"> • Inhibit the formation of scale • Remove dirt and sediment • Reduce chlorine, taste and odor Ice-O-Matic recommends the use of water filtration with all ice-making products.		

Filter System Sizing Chart

Ice-O-Matic Cube Ice Maker	Ice-O-Matic Flake Ice Maker	Ice-O-Matic Pearl Ice® Maker	Recommended Ice-O-Matic Water Filter
ICEU070, 150, 220, 226, 300, ICEO250, O320, O400, ICEO406, O500, O520, O606	EF250, EF450	GEMO450	IFQ1 (Single Manifold Cartridge Filter System) IFI4C or IFI8C (Single Inline Filter System)
ICEO806	MFIO800, EF800	GEMO650, GEMO956	IFQ1 (Single Manifold Cartridge Filter System)
ICE1006, 1406, 1506, ICE 1806, 2106	MF11256, MF12406		IFQ2 (Dual Manifold Cartridge Filter System)
		GEMU090, GEMD270, GEMD520, GEMD540, GEMD790	IFI4C or IFI8C

11100 East 45th Avenue • Denver, CO 80239
phone 800.423.3367 • fax 303.371.6296
www.iceomatic.com

©2013 Ice-O-Matic. We reserve the right to make changes in design, specifications and content at any time without obligation. AglON® antimicrobial is registered with EPA and is a trademark of AglON Technologies.